## **ICD10** Conversion Utility

We have created a small utility to help migrate diagnosis codes from ICD9 to ICD10.

This utility will let you load a patient and see their current codes, then will show you the comparable ICD10 code. With a click of a button it will set the new ICD10 for the patient and make it effective for Oct 1st - leaving the current ICD9 until that transition date. The utility will also keep track of patients who haven't had their codes converted - allowing you to begin working on your patient list now - ahead of this transition - at your convenience.

Please keep in mind - the utility shows only a comparable ICD10 code - we encourage you to review any questions with your insurance biller or a trusted online resource.

To begin, you will need to download the ICD10Convert utility.

1. Click on the HELP button (or F1 on your keyboard) in Atlas, you will be directed to our Support page.



2. Click the Support link in the menu and choose ICD10 Converter in the Downloads list.



3. Save the utility onto your computer

4. When the download completes, extract the files into the ACS folder on your Server (it is important to ensure the files are saved on your Server )

CO Tester	Downloads      ICD10Converter	- 4	Search ICD10Converter	P	00-1	1 + Tester + Downloads + ICD10Converter	• 49 Search ICD10Converter	Q
Organize - Extract	N files		(iii	• 🗇 🛛	Organize			0 10
Eventes     Desitop     Downloads     Devintoads     Devintoads     Devintoads     Devintoads     Downloads     Network	Name Name SchDacvr SchDacvr idagendbt remainingpatiling.dbf	Type DBF File Application DBF File DBF File	Compressed size 556 KB 4,015 KB 12 KB 1 KB	Password - 5 1 No 1 No 1 No 1 No	Favo De B De B De B Res De De M M M Pic E Vid Com	Betract Compressed (Zipped) Folder:     Select a Destination and Extract Files     Files will be extracted to this folder:     @Uts     @Uts     Show extracted files when complete	Browse	Patsword Si Ne Na Na Na
4 items	•	ш			L	4 items		,

5. After extracting, right click on the file 'ICD10CVT.exe' and choose option 'Send to..Desktop (as shortcut)' -- this will create a shortcut on your PC to easily run the utility

🔵 🔵 🚽 🕨 Comput	er 🕨 Local Disk (	Open		+ +,	Search AC5		
Organize 👻 📓 Ópen	Share with 🔹 😵	Run as administrator			3		1
* Favorites	Name	Troubleshoot compatibilit	y j	fied	Туре	Size	
Desktop	acsweb	Share with		3:51 PM	Application	273 KB	
Downloads	acsweb	Pin to Taskbar	1	5:53 PA	A Configuration sett	1 KB	
Recent Places	∧ assign	Pin to Start Menu		1:57 Al	M Application	2,240 KB	
	15 AtlasEmail	Restore previous versions	1	0:16 PM	A Application	1,130 KB	
Calibraries	ly clearrebuil	Send to		l. Ce	impressed (tipped) folder	26 KB	
Documents	config.fpv			De	sktop (create shortcut)	1 KB	
J Music	S csXImage.	Cut		De	cuments	,363 KB	
Pictures	DGWaveed	Сору		Fa	recipient	88 K.B	
Videos	E FOXUSER &	Create shortcut		M	sil recipient	1.00	
	C fonorece	Delete		Lo	cal Disk (C:)	OLA KB	
r Computer	D FoxyPrevie	Rename		8:26 At	A DBF File	22 KB	
<b>0</b>	icd10_imp	Properties	,	10:42 A	M DBF File	9,101 KB	
W INELWORK	A ICD10CVT		7/27/2015	10:42 A	M Application	13,092 KB	Ì
	icdgem.dbf		7/27/2015	10:42 A	M DBF File	562 KB	į.
	🗟 libhpdf.dll		7/24/2015	10:49 A	M Application extens	768 KB	
	S msvcr71.dll		2/21/2003	3:42 AI	A Application extens	340 KB	
	19 mysql-connect	or-odbc-5.2.3-ansi-win32	1/10/2013	7:51 Pf	A Windows Installer	2,795 KB	
	odbcinstall		7/2/2013 1	:13 PM	Application	95 KB	
	b pcr		7/27/2015	8:30 AI	A Compressed (zipp	1,189 KB	

- 6. Double click the new shortcut
- 7. The first launch may take a few minutes as it collects your patient information and diagnosis codes once it's done you will be prompted to login using your Atlas credentials

∧ Security Login			- • ×
All codes are list Atlas h	ed for clients to finaliz olds no liability or ow	e and choose the cod nership to incorrect c	e to bill for the patients. odes ap <mark>pl</mark> ied.
A	Account ID	I	
Exit Atlas			OK

The next step is to start changing your diagnosis codes.

1. Choose a patient - you can do this by clicking 'Select' in the grid or using the 'Find Patient' button at the bottom of the window

ID	Lastname	First name	- 55
1	Smith	Mary	Selad
3	Davis	Bill	Select
7	Doe	Billy	Select
9	O'Reilly - BC	Kristen	Select
10	Andrews	Robert	Selec
11	Granger	Lilly	Selec
12	Anderson	Rose	Selec
14	Patil	Erica	Select
16	Wolfe	Marty	Selec
17	Laver - MB	Crystal	Select
19	Laver	Rene	Selec
5321	Smith - MB	JIII	Selec

2. The patients current ICD9 diagnosis codes will display in a grid

ase Select	a Diagnosis to begin.				
ICD 9	Description	ICD	10	Complete	
39.3 ]	LUMBAR SEGMENTAL DYSFUNCTION				
ect from th	e matching ICD 10 codes below , search for another ICE	10 code, or end t	he dia	ignosis.	-
100/10	Disciplion		S	learch Diag	
100 10			s	earch Diag End Diag	

3. Click on a DX code (in the top grid) and a comparable ICD10 code will appear in the bottom grid

	Mary Smith			
ease Selec	t a Diagnosis to begin.			
ICD 9	Description	ICD	10 Comple	ete 🔺
739.3	LUMBAR SEGMENTAL DYSFUNCTION			
6		12	5. 117	
÷		1		*
lect from ti	he matching ICD 10 codes below , search for another ICD 10	code, or end th	ne diagnosis.	-
lect from ti ICD 10 M99.03	he matching ICD 10 codes below , search for another ICD 10 Discription I Segmental and somatic dysfunction of lumbar region	code, or end th	ne diagnosis.	+
lect from ti ICD 10 M99.03	he matching ICD 10 codes below , search for another ICD 10 Discription I Segmental and somatic dysfunction of lumbar region	code, or end th	e diagnosis. Search Dia End Diag	ag

- 4. Select the code you want to use (there may be multiple listed) by clicking on the ICD10 code or description Please note: if a comparableICD10 code is not found by Atlas, you can manually enter the code by using the Seach Diag button and selecting from your list of available codes
- 5. The updated ICD10 code will show in the top grid along with a check in the Completed box

lease Selec	t a Diagnosis to begin.				
ICD 9	Description	ICD	10	Complete	
739.3	LUMBAR SEGMENTAL DYSFUNCTION	M99.03		7	
			_		
			_		+
elect from th	e matching ICD 10 codes below , search for another ICD 10 Discription	code, or end t	he dia	gnosis.	1
elect from the ICD 10	e matching ICD 10 codes below , search for another ICD 10 Discription Segmental and somatic dysfunction of lumbar region	code, or end t	he dia	gnosis. earch Diag	
elect from the ICD 10	e matching ICD 10 codes below , search for another ICD 10 Discription Segmental and somatic dysfunction of lumbar region	code, or end t	he dia	gnosis. earch Diag End Diag	

NOTE: ICD10 codes entered with this utility will have an effective date of Oct 1. This means the ICD9 code will stay current and automatically change to the selected ICD10 code on the designated transition date. The ICD9 code will remain on the patient profile after Oct 1 (marked Finished) for reference

Also NOTE: Patients may have multiple diagnosis codes to convert (see image below) and may be presented with multiple ICD10 codes to choose from. Be sure to convert all diagnosis codes (or End Diagnosis on outdated codes). If you have questions about how to accurately determine the correct code, refer to your Insurance Billing person or trusted online resource.

	Robert Andrews		
ease Selec	t a Diagnosis to begin.		
ICD 9	Description	ICD 10	Complete -
722.52	LUMBAR DISC DEGENERATION		
728.85	MUSCLE SPASM		
724.1	PAIN IN THE THORACIC SPINE		
724.3	SCIATIC NEURALGIA		400
722.51	THORACIC DISC DEGENERATION		
739.2	THORACIC SEGMENTAL DYSFUNCTION	3	1
lect from th	e matching ICD 10 codes below , search for another ICD 10 code, Discription	or end the di	agnosis.
Iect from th	re matching ICD 10 codes below , search for another ICD 10 code, Discription	or end the di	agnosis.
ICD 10 ICD 10 M51.36 M51.37	e matching ICD 10 codes below , search for another ICD 10 code, Discription Other intervertebral disc degeneration, lumbar region Other intervertebral disc degeneration, lumbosacral region	or end the di	agnosis. Search Diag
elect from th ICD 10 M51.36 M51.37 1	ne matching ICD 10 codes below , search for another ICD 10 code, Discription Other intervertebral disc degeneration, lumbar region Other intervertebral disc degeneration, lumbosacral region	or end the di	agnosis. Search Diag
elect from th ICD 10 M51.36 M51.37 _	e matching ICD 10 codes below , search for another ICD 10 code, Discription Other intervertebral disc degeneration, lumbar region Other intervertebral disc degeneration, lumbosacral region	or end the di	agnosis. Search Diag End Diag
elect from the ICD 10 M51.36 M51.37	re matching ICD 10 codes below , search for another ICD 10 code, Discription Other intervertebral disc degeneration, lumbar region Other intervertebral disc degeneration, lumbosacral region	or end the di	agnosis. Search Diag End Diag

Some of your codes may have no corresponding ICD10 code or Atlas may be unable to determine a match from the information entered. You can manually select the ICD10 code from the Search Diag button. You can also enter ICD10 codes not included in Atlas under Setup > Diagnosis Codes.

	Lilly Granger			
ase Select	a Diagnosis to begin.			
ICD 9	Description	ICD 10	Complete	
39.08	SUBLUXATION OF MULTIPLE CERVICAL VERTEBRAE			
ect from th	e matching ICD 10 codes below , search for another ICD 10 code,	or end the	diagnosis.	+
ICD 10	Discription		Search Diag	
			End Diag	

iagnosis Si	earch			
Please en	ter a maximum of 5 keywords separated by a o	comma (,):		
		2019		Complete
		1		2
<ul> <li>Any</li> </ul>	() All	Searc	a	
Click on a	diagnosis in the grid to select or clear it			
Code	Description		*	
1/143.27	Fusion of spine, lumbosacral region			
1/143.28	Fusion of spine, sacral and sacrococcygeal i	region	111	H
1450.20	Other cervical disc displacement, unspecifie	d cervical region		annasis
M51.34	Other intervertebral disc degeneration, thora	cic region		ugnosis.
M51.35	Other intervertebral disc degeneration, thora	columbar region		Search Diag
M51.36	Other intervertebral disc degeneration, lumba	ar region		
M51.37	Other intervertebral disc degeneration, lumb	osacral region		
1/153.1	Cervicobrachial syndrome		*	Fod Dian
Balactad				and blog
5010000				
			_	- 1/14